



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## INDEX TO VOLUME XII.

---

- ABBOTT**, Charles C., notice of his 'The Birds about Us,' 67.  
*Acanthis cannabina*, 326.  
     *exilipes*, 335.  
     *flavirostris*, 326.  
     *hornemanni*, 335.  
     *linaria*, 216.  
     *linaria rostrata*, 70.  
     *montium*, 326.  
     *rufescens*, 325.  
*Accentor alpinus*, 333.  
     *modularis*, 333.  
*Accipiter atricapillus*, 171, 190, 191, 265, 313.  
     *cooperi*, 121, 236, 263, 265, 364.  
     *fringilloides*, 279.  
     *nisus*, 329.  
     *palumbarius*, 329.  
     *velox*, 88, 262, 263, 265, 364, 394.  
*Acredula caudata*, 336.  
*Acrocephalus agricola*, 333.  
     *aquaticus*, 333.  
     *palustris*, 333.  
     *phragmitis*, 333.  
     *streperus*, 333.  
     *turdoides*, 333.  
*Actitis hypoleucos*, 339.  
     *macularia*, 122, 213, 242, 339, 364, 377.  
*Aëdon familiaris*, 331.  
*Ægialitis asiatica*, 338.  
     *cantiana*, 338.  
     *caspia*, 338.  
     *hiaticula*, 338.  
     *meloda circumcincta*, 377.  
     *minor*, 338.  
     *montana*, 213.  
     *semipalmata*, 377, 394.  
     *vocifera*, 121, 136, 213, 236, 364.  
*Aëronautes melanoleucus*, 139.  
*Æstrelata defilippiana*, 320, 321.  
     *fisheri*, 319, 321, 322.
- Æstrelata gularis*, 320.  
     *hasitata*, 70, 179.  
     *mollis*, 320.  
*Agelaius phœniceus*, 121, 215, 236, 242, 365.  
*Aglaia*, 385.  
*Aimophila supercilliosa*, 357.  
*Aix sponsa*, 88, 364.  
*Alauda arborea*, 334.  
     *arvensis*, 325, 390.  
*Albatross*, Short-tailed, 102, 105.  
     Wandering, 291.  
*Alca torda*, 325.  
*Alcedo ispida*, 336.  
     *torquata*, 164.  
*Alle alle*, 327.  
*Allen*, Francis H., some notes on Cape Breton summer birds, 89.  
*Amazilia aliciaë*, 368.  
     *felicix*, 368, 369.  
*American Ornithologists' Union*, twelfth congress of the, 60; Committee on Protection of North American Birds, report of, 97; Amendments to the By-Laws of, 97; Check-List of North American birds, seventh supplement to the, 163.  
*Ammodramus henslowi*, 122, 189, 236, 241, 265.  
     *lecontei*, 365.  
     *princeps*, 377.  
     *sandwichensis*     *alaudinus*, 140, 216.  
     *sandwichensis*     *passerinus*, 122, 236, 241, 313, 365.  
     *sandwichensis*     *savanna*, 121, 188, 365.  
*Ampelis cedrorum*, 121, 250, 365.  
     *garrulus*, 171, 217, 330.  
*Amphispiza belli*, 141.  
     *bilineata*, 55, 141.  
*Anas americana*, 179, 212, 364.  
     *boschas*, 121, 212, 236, 310, 340, 364.

- Anas carolinensis*, 121, 212, 236, 364.  
*columbianus*, 72.  
*crecca*, 70, 171.  
*cyanoptera*, 136.  
*discors*, 212, 364.  
*obscura*, 77, 88, 89, 310, 364, 377.  
*penelope*, 179, 292.  
*strepera*, 212.
- Anhinga anhinga*, 364.
- Ani*, 202.
- Anorthura troglodytes*, 326.
- Anser albifrons*, 340.  
*brachyrhynchus*, 340.  
*cinereus*, 340.  
*minutus*, 340.  
*segetum*, 340.
- Anthony, A. W., a new species of *Thryothorus* from the Pacific coast, 51; a new subspecies of *Harporhynchus* from Lower California, 52; the Fulmars of southern California, 100; description of a new *Pipilo* from southern and Lower California, 109; birds of San Fernando, Lower California, 134; the Pacific Kittiwake at San Diego, California, 177; an albino Ruby-crowned Kinglet, 181; *Funco hyemalis shufeldti* in Lower California, 183; the status of *Heleodytes affinis*, 280; probable occurrence of *Creagrus furcata* off San Diego, California, 291; new races of *Colaptes* and *Passerella* from the Pacific coast, 347; *Oceanodroma socorroensis* off San Diego, Cal., 387; the Scaled Partridge in Colorado, 388; the St. Lucas Flycatcher in California, 390.
- Anthropoides virgo*, 337.
- Anthus aquaticus*, 334.  
*arboreus*, 324.  
*campestris*, 334.  
*cervinus*, 334.  
*ludovicianus*, 152.  
*obscurus*, 326.  
*pensilvanicus*, 6, 218, 334, 365.  
*pratensis*, 334.  
*richardi*, 334.  
*rupestris*, 326.
- Antrostomus carolinensis*, 365.  
*vociferus*, 89, 122, 236, 241.
- Ant-thrush, 20.
- Aphelocoma cyanotis*, 165.
- Aphelocoma sieberii*, 358.
- Apteryx*, 156.
- Aquila chrysaetos*, 138, 179, 214, 329.  
*pomarina*, 329.
- Aramides (Laterallus) albigularis*, 32.
- Aramus giganteus*, 172, 364, 366.
- Archibuteo lagopus sancti-johannis*, 188, 266.  
*lagopus*, 326.
- Ardea bahamensis*, 258.  
*brunnescens*, 258.  
*candidissima*, 364.  
*cinerea*, 337.  
*cærulea*, 364.  
*egretta*, 355, 364.  
*frazari*, 258.  
*herodias*, 213.  
*purpurea*, 337.  
*rufescens*, 379.  
*saturatus*, 258.  
*virescens*, 88, 123, 257, 364.  
*virescens anthonyi*, 257.  
*wardi*, 364.  
*wuerdemanni*, 379.
- Ardetta exilis*, 364.  
*minuta*, 337.  
*neoxena*, 77.
- Arenaria interpres*, 339.
- Asio accipitrinus*, 88, 214, 330.  
*otus*, 329.  
*wilsonianus*, 88, 214.
- Athene noctua*, 329.
- Auklet, Cassin's, 272, 276.  
 Crested, 271, 276.  
 Least, 276.
- Auriparus flaviceps*, 143.
- Aythya affinis*, 212, 364.  
*americana*, 212.  
*cristata*, 326.  
*ferina*, 326.  
*marila*, 293, 295, 326.  
*marila marila*, 295.  
*marila nearctica*, 293, 295, 310.
- BALDAMUS, Eduard, notice of death of, 94.
- Baldpate, 179.
- Ball, Helen A., peculiar nest of a Chipping Sparrow, 305.
- Barbour, Edwin H., bird fatality along Nebraska railroads, 187; Lincoln Salt Lake and the occurrence of *Strepsilas interpres*, 297.
- Barrows, Walter B., Brünnich's Murre in Michigan, 387.

- Barrows, Walter B., and E. A. Schwarz, notice of their report on the food of the Common Crow, 381.
- Bartramia longicauda, 122, 213, 236, 242, 310, 364.
- Basilinna leucotis, 164, 357.
- Batchelder, Chas. F., nesting of *Mimus polyglottos* in eastern Massachusetts, 308.
- Bates, Abby F. C., a Swallow roost at Waterville, Maine, 48.
- Beal, F. E. L., a demand for English names, 192; notice of his 'Preliminary Report on the Food of Woodpeckers,' 380.
- Bell-bird, 204.
- Bendire, Chas. E., the American Barn Owl breeding at Washington, D. C., in winter, 180; notes on the Ancient Murrelet (*Synthliboramphus antiquus*), by Chase Littlejohn, with annotations, 270.
- Bernicla brenta, 326.  
canadensis, 236.  
leucopsis, 340.
- Bicknell, Eugene P., Prothonotary Warbler near New York City, 306.
- Bishop, Louis B., *Aythya marila* or *Aythya marila nearctica*? 293; an apparently undescribed plumage of *Oidemia perspicillata*, 295.
- Bittern, 222.  
Least, 77, 87.
- Blackbird, Brewer's, 140.  
Crow, 303, 304.  
Marsh, 129.  
Red-winged, 4, 10, 153, 221.  
Rusty, 3, 223, 303, 304.  
Yellow-headed, 191.
- Bluebird, 120, 129, 244, 309.  
Chestnut-backed, 166.  
Mexican, 359.  
Rocky Mountain, 152, 153.  
San Pedro, 166.  
Western, 166.
- Bobolink, 120.
- Bob-white, 88.
- Bond, Frank, more Wyoming Mockingbirds, 309.
- Bonasa umbellus, 191.  
umbellus fuscus, 169.  
umbellus sabini, 199.  
umbellus togata, 88.
- Botaurus exilis, 87.
- Botaurus lentiginosus, 364.  
stellaris, 337.
- Bourns, Frank S., and Dean C. Worcester, notice of their Preliminary Notes on the Birds and Mammals of the Menage Expedition to the Philippine Islands, 173.
- Brachyramphus hypoleucus, 379.  
marmoratus, 276.
- Branta canadensis, 77, 121, 213.
- Brewster, E. E., apparatus for preparing birds' eggs, 196.
- Brewster, William, a remarkable plumage of the Prairie Hen (*Tympanuchus americanus*), 99; notes on certain Flycatchers of the genus *Empidonax*, 157; the White Gyr Falcon in New England, 180; second occurrence of Harris's Sparrow (*Zonotrichia querula*) in British Columbia, 182; a ground nest of the Black-throated Green Warbler, 184; a remarkable flight of Pine Grosbeaks (*Pinicola enucleator*), 245.
- Brewster, William, and Frank M. Chapman, notes on birds observed in Trinidad, 201.
- Brin-blanc, 204.
- Broad-bill, 310.
- Browne, F. C., a belated Mockingbird in eastern Massachusetts, 84.
- Bryant, John A., Clark's Nutcracker in western Missouri, 82; Clark's Nutcracker, 181.
- Bubo virginianus, 88, 364.  
virginianus subarcticus, 138, 214.
- Bunting, Clay-colored, 227.  
Indigo, 129.  
Lark, 141, 153, 227, 305, 306.  
Chestnut-collared Lark, 227.  
Towhee, 229.
- Burns, Frank L., notes from southern New Jersey, 189; notice of his paper on the American Crow, 287.
- Bush-tit, Californian, 143.
- Buteo borealis, 236, 265, 364, 366.  
borealis calurus, 138.  
borealis krideri, 11, 14.  
buteo, 326.  
latissimus, 262, 263, 265, 364, 366, 394.  
lineatus, 265, 364.  
swainsoni, 214.
- Buzzard, Turkey, 80.

- CAIRNS, John S., notice of death of, 315.
- Calamospiza bicolor, 141.  
  melanocorys, 217, 306.
- Calandrella brachydactyla, 334.  
  pispoletta, 334.
- Calcarius lapponicus, 121, 335.  
  pictus, 7, 121, 236.
- Calidris arenaria, 326.
- Callipepla californica vallicola, 136.  
  gambeli deserticola, 371.  
  squamata, 298, 388.
- Call, Aubrey B., breeding habits of Terns, 178.
- Calliste, 385.
- Calospiza, 385.
- Calypte costæ, 140.
- Calyptophilus frugivorus, 279.
- Camarhynchus, 71.
- Campañero, 204.
- Campephilus principalis, 364, 366.
- Camptolaimus labradorius, 69, 171.
- Canfield, J. B., the Red Phalarope at Bridgeport, Conn., 77.
- Caprimulgus ægyptius, 337.  
  aldabrensis, 71.  
  europæus, 337.
- Cardinal, 351.
- Cardinalis robinsoni, 370.
- Carduelis carduelis, 182, 335, 365.
- Carpodacus erythrinus, 336.  
  mexicanus frontalis, 140, 357.  
  purpureus, 122.  
  roseus, 336.
- Catbird, 20, 87, 117, 128.
- Cathartes aura, 80, 137, 214, 236, 364, 394.
- Catharista atrata, 356, 364.
- Catherpes mexicanus punctulatus, 143.
- Cedarbird, 219, 350.
- Centrocercus urophasianus, 214.
- Centropus insularis, 71.
- Ceophloeus pileatus, 311, 365, 380.
- Cephus grylle, 327.  
  mandti, 327, 341.
- Certhia familiaris, 336.  
  familiaris alticola, 168, 186, 358.  
  familiaris americana, 70, 121, 365.  
  familiaris mexicana, 168.  
  mexicana, 186.  
  rubra mexicana, 186.
- Certhidea, 71, 72.
- Ceryle alcyon, 122, 214, 364.  
  torquata, 164.
- Chætura pelagica, 122, 235, 242, 365.
- Chætura zonaris, 279.
- Chamæospiza torquata, 357.
- Chapman, Frank M., notice of his List of the Birds of the Vicinity of New York City, 69; history of a Wandering Albatross, 291; notice of his 'Handbook of Birds of Eastern North America,' 282, 385. See also Brewster, William.
- Charadrius dominicus, 78, 260, 338.  
  fulvus, 338.  
  pluvialis, 338.  
  squatarola, 338.
- Charitonetta albeola, 212.
- Chasmorhynchus niveus, 205.  
  variegatus, 204.
- Chat, Yellow-breasted, 82, 232, 393.
- Chauleasmus streperus, 340.
- Chelidon erythrogaster, 83, 122, 217, 235, 242, 365.  
  urbica, 325.
- Chen caerulescens, 70.  
  hyperboreus, 340.  
  rossii, 212.
- Cherrie, Geo. K., North American bird notes from Costa Rica, 87.
- Chickadee, 120, 314, 383.  
  Mexican, 358.
- Chicken, Prairie, 133.
- Chloris chloris, 326
- Chondestes grammacus, 122, 236.  
  grammacus strigatus, 217.
- Chordeiles acutipennis, 167.  
  acutipennis texensis, 139, 167.  
  texensis, 167.  
  virginianus, 123, 235, 241.  
  virginianus chapmani, 365.  
  virginianus henryi, 215.
- Ciconia alba, 337.  
  nigra, 337.
- Cinclus melanogaster, 333.  
  pallasi, 333.
- Cinnyris abbotti, 71.  
  aldabrensis, 71.
- Circaëtus gallicus, 329.
- Circus æruginosus, 329.  
  cinerascens, 329.  
  cyaneus, 329.  
  hudsonius, 121, 188, 214, 236, 265, 364.  
  swainsoni, 329.
- Cistothorus palustris, 123.  
  stellaris, 89, 123, 236, 365.
- Clangula hyemalis, 89, 292, 298, 326.
- Clark, Hubert Lyman, notice of his paper on the pterylography of Goatsuckers and Owls, 287.

- Clark, J. N., Summer Redbird at Saybrook, Conn., 306.  
Clivicola riparia, 83, 217, 337, 365.  
Coccothraustes coccothraustes, 335.  
    vespertinus, 190, 216.  
Coccyzus americanus, 88, 123, 235, 241, 364.  
    erythrophthalmus, 123, 214, 235, 241.  
Cœligena clemenciæ, 357.  
Colaptes auratus, 121, 171, 236, 242, 262, 365, 380.  
    cafer, 171, 215.  
    chrysoides, 139.  
    chrysoides brunnescens, 347.  
Colinus cubanensis, 279.  
    virginianus, 88.  
    virginianus cubanensis, 168.  
    virginianus floridanus, 364.  
Columba livia, 337.  
    œnas, 337.  
    palumbus, 337.  
Columbigallina passerina terrestris, 364.  
Colymbus auritus, 327.  
    cornutus, 327.  
    cristatus, 341.  
    griseigena, 327.  
    minor, 341.  
    nigricollis, 341.  
    nigricollis californicus, 212.  
Compsothlypis americana, 122, 235, 365.  
Congdon, Herbert Wheaton, some notes from Pennsylvania, 189.  
Contopus borealis, 70, 88.  
    richardsonii, 215.  
    virens, 123, 159, 235, 241, 365.  
Conurus carolinensis, 171, 188, 367.  
    chloropterus, 279.  
Cooke, W. W., the summer range of Colorado birds, 150.  
Coot, 172, 222.  
    American, 88.  
Coracias garrulus, 336.  
Corethrura albigularis, 31, 32.  
Cormorant, 90, 120  
    Double-crested, 313.  
Corvus americanus, 215, 236, 365, 381.  
    corax, 330.  
    corax sinuatus, 140, 215, 358.  
    cornix, 330.  
    corone, 330.  
    frugilegus, 330.  
    monedula, 330.  
    ossifragus, 365.  
Corvus solitarius, 279.  
Cory, Chas. B., Florida notes, 187; description of two new species of birds from San Domingo, 278.  
Coturnix coturnix, 337.  
Coues, Elliott, *Diomedea exulans* on the Columbia in 1813, 178: Gätke's Heligoland, 322.  
Cowbird, 4, 120, 128, 182.  
Cox, Ulysses O., a collection of birds from Mount Orizaba, Mexico, 356.  
Crane, 120, 232.  
    White, 355.  
Creagrus furcata, 291.  
Creciscus albigularis, 32.  
    alfari, 32.  
    cinereiceps, 32.  
    leucogaster, 32.  
Creeper, Brown, 152, 350, 351, 353-358.  
    Mexican, 185, 358.  
Crex crex, 339.  
Crossbill, American, 304, 390.  
Crotophaga ani, 202.  
    sulcirostris, 20.  
Crow, 4, 120, 381.  
Crymophilus fulicarius, 77, 313, 339.  
Cuckoo, Black-billed, 129.  
    Kamtschatkan, 164.  
    Yellow-billed, 88, 114, 129.  
Cuculus canorus, 336.  
    canorus telephonus, 164.  
    telephonus, 164.  
Curlew, Eskimo, 78, 79, 260.  
    Hudsonian, 77.  
Cursorius gallicus, 337.  
Cyanecula leucocyanæa, 331.  
    suecica, 331.  
    wolff, 331.  
Cyanocitta cristata, 236.  
    cristata florincola, 365.  
Cyclorhis flavipectus, 203.  
Cygnus bewicki, 340.  
    musicus, 326.  
    olor, 340.  
Cymochorea leucorhoa, 341.  
Cypseloides niger, 139.  
Cypselus apus, 336.  
    melba, 336.  
DAFILA acuta, 212, 340, 364.  
Daggett, Frank S., cold storage as an aid to the bird collector, 195.  
Daulias lusciniæ, 331.  
    philomela, 331.

- Deane, Ruthven, the European Widgeon (*Anas penelope*) in Indiana, 179; another European Widgeon (*Anas penelope*) in Indiana, 292; record of a third specimen of the European Widgeon (*Anas penelope*) in Indiana, 292; the Old Squaw (*Clangula hyemalis*) in Colorado, 292; additional records of the Passenger Pigeon in Illinois and Indiana, 298; strange habits of the Rusty and Crow Blackbirds, 303.
- Degen, Edward, notice of his paper on the Evolution of the Bird's Wing, 286.
- Delaware Valley Ornithological Club, annual meeting of, 200.
- Dendrochelidonidæ, 155.
- Dendroica æstiva, 218, 235, 242, 365.  
 auduboni, 142.  
 blackburniæ, 89, 90, 123, 190, 241.  
 cærulea, 241.  
 cærulescens, 89, 241.  
 castanea, 241.  
 coronata, 89, 122, 218, 236, 242, 365.  
 discolor, 365.  
 dominica, 365.  
 maculosa, 89, 123, 190, 241.  
 occidentalis, 142.  
 olivacea, 17, 358.  
 palmarum, 122, 185, 236, 241, 365.  
 palmarum hypochrysea, 365.  
 pennsylvanica, 123, 235, 241.  
 striata, 123, 218, 365.  
 tigrina, 123, 235.  
 townsendi, 142.  
 vigorsii, 89, 190, 365.  
 virens, 123, 185, 235, 333, 365.
- Dicæum trigonostigma, 174.
- Dickcissel, 128, 133.
- Diomedea albatrus, 105, 178.  
 exulans, 178, 291.  
 nigriceps, 105.
- Doleromya pallida, 369.
- Dolichonyx oryzivorus, 235, 242, 335, 365.
- Dove, Carolina, 299.  
 Ground, 79.  
 Mourning, 137, 153.  
 White-winged, 137.
- Dowitcher, Long-billed, 313.
- Dryobates borealis, 365.
- Dryobates leuconotus, 336.  
 major, 336.  
 pubescens, 214, 364, 380.  
 scalaris lucasanus, 138.  
 stricklandi, 357.  
 villosus, 380.  
 villosus audubonii, 364.  
 villosus leucomelas, 214.
- Duck, Black, 77, 88, 310.  
 Lesser Scaup, 188.  
 Masked, 297.  
 Northern Black, 188.  
 Pintail, 355.  
 Ringneck, 355.  
 Scaup, 293.  
 Spoonbill, 355.  
 Wood, 88, 351.
- Dunn, James O., the Passenger Pigeon in the Upper Mississippi Valley, 389; Henslow's Sparrow in Indiana, 391; notes on some birds of northeastern Illinois, 393.
- Dutcher, William, the Great Gray and Hawk Owls in St. Lawrence Co., N. Y., 181; *Gavia alba* on Long Island, N. Y., 290.
- Dwight, Jonathan, Jr., notice of his 'The Ipswich Sparrow (*Ammodramus princeps*) and its Summer Home,' 377.
- EAGLE, 361.  
 Bald, 262, 265, 266, 359.  
 Golden, 138, 179.
- Ectopistes migratorius, 80, 298, 389.
- Egret, 355.
- Eider, American, 310, 388.
- Elainea cherriei, 279.
- Elanoides forficatus, 171, 364.
- Elanus leucurus, 137.
- Elliott, D. G., notice of Part IV of his Monograph of the Pittidæ, 65.
- Emberiza aureola, 334.  
 cæsia, 334.  
 cia, 335.  
 cinerea, 334.  
 cirrus, 334.  
 citrinella, 326.  
 grammaca, 227.  
 hortulana, 334.  
 leucocephala, 335.  
 luteola, 335.  
 melanocephala, 335.  
 miliaria, 334.  
 ornata, 227.  
 pusilla, 335.  
 pyrrhuloides, 335.  
 rustica, 335.

- Emberiza schœniclus*, 334.  
   *unalaschcensis*, 149, 150.  
   *unalaschkensis*, 149.  
*Empidonax acadicus*, 123, 157,  
   158, 235, 365.  
   *cineritius*, 140, 390.  
   *flaviventris*, 70, 86.  
   *fulvipectus*, 357.  
   *hammondi*, 215, 390.  
   *minimus*, 123, 158, 161, 215,  
   241.  
   *pusillus*, 160, 161, 215, 390.  
   *traillii*, 123, 158, 159, 160,  
   161, 162, 235.  
   *traillii alnorum*, 161, 162.  
   *virescens*, 157, 160.  
*Engyptila*, 167.  
   *albifrons*, 167.  
*Eniconetta stelleri*, 340.  
*Ereunetes occidentalis*, 171.  
   *pusillus*, 213, 394.  
*Ergaticus ruber*, 358.  
*Erismatura rubida*, 212.  
*Erithacus rubecula*, 332.  
*Eucichla boschi*, 65.  
*Eudromias morinellus*, 338.  
*Euethia pusilla*, 357.  
*Euphonia musica*, 279.  
  
**FALCO** *æsalon*, 329.  
   *candicans*, 180, 329.  
   *cenchris*, 329.  
   *columbarius*, 265, 266.  
   *eleonoræ*, 329.  
   *feldeggi*, 329.  
   *gyrfalco*, 329.  
   *islandicus*, 180.  
   *islandus*, 180.  
   *peregrinus*, 329.  
   *peregrinus anatum*, 86, 138,  
   191, 266, 364.  
   *peregrinus pealei*, 275.  
   *richardsonii*, 214.  
   *rusticolus*, 180.  
   *rusticolus gyrfalco*, 180.  
   *sacer*, 329.  
   *sparverius*, 86, 121, 214, 236,  
   263, 266, 364.  
   *sparverius deserticolus*, 138.  
   *subbuteo*, 329.  
   *tinnunculus*, 329.  
   *vespertinus*, 329.  
*Falcon*, Peale's, 275, 276.  
*Fannin*, John, the Emperor Goose  
   in British Columbia, 76; Harris's  
   Sparrow in British Columbia,  
   305.  
  
*Farley*, J. A., breeding of Traill's  
   Flycatcher in Eastern Massachu-  
   setts, 302.  
*Faxon*, Walter, *Vireo philadelphi-*  
*cus* in Cambridge, Mass., 84; the  
   Rough-winged Swallow (*Stel-*  
*gidopteryx serripennis*) breeding  
   in North Adams, Berkshire Co.,  
   Mass., 392; *Turdus alicia* *bick-*  
*nelli* and *Otocoris alpestris pra-*  
*ticola* as summer residents of  
   Berkshire County, Mass., 392.  
*Fairbanks*, Franklin, notice of  
   death of, 315.  
*Finch*, Cinereous, 149.  
   House, 140, 357.  
   Lark, 229.  
   Lazuli, 230.  
   Lincoln's, 86, 227.  
   Purple, 128, 224.  
   Townsend's, 227.  
   Western Lark, 153.  
*Fisher*, A. K., the Masked Duck  
   (*Nomonyx dominicus*) in the  
   Lower Rio Grande Valley,  
   Texas, 297; occurrence of *Heli-*  
*naia swainsoni* in the Dismal  
   Swamp, Virginia, 307.  
*Flicker*, 4, 87, 115, 186, 262.  
   Brown, 347.  
   Gilded, 139.  
   Red-shafted, 152.  
*Flycatcher*, Acadian, 158, 351.  
   Alder, 161.  
   Arkansaw, 229.  
   Ash-throated, 140.  
   Crested, 129.  
   Great-crested, 311.  
   Green-crested, 159.  
   Least, 129.  
   Lesser-crested, 158.  
   Olive-sided, 88.  
   Say's, 227, 229.  
   Small Green-crested, 159.  
   St. Lucas, 140, 390.  
   Texan, 357.  
   Traill's, 128, 159, 302.  
   Yellow-bellied, 86.  
*Foster*, L. S., the Black-capped  
   Petrel (*Æstrelata hastitata*) in  
   Ulster Co., New York, in Jan-  
   uary, 179.  
*Fratercula arctica*, 325.  
*Fraser*, Donald, Brännich's Murre  
   near Johnstown, New York, 290.  
*Frazar*, M. Abbott, the Prothono-  
   tary Warbler in Massachusetts,  
   84.



- Fregata grallaria, 322.  
 Fringilla cinerea, 144, 149, 391.  
     cœlebs, 325.  
     montifringilla, 335.  
     pallida, 227.  
 Fulca americana, 88, 122, 213, 364.  
     atra, 339.  
 Fulmar, Pacific, 104, 105.  
     Pigeon, 105.  
 Fulmarus glacialis, 107, 327.  
     glacialis columba, 105, 107.  
     glacialis glupischa, 107.  
     glacialis rogersii, 107.  
     glacialoides, 109.  
  
 GADWALL, 355.  
 Galeoscoptes carolinensis, 123, 218,  
     235, 242, 331, 365.  
 Galerita cristata, 334.  
 Gallinago delicata, 213, 303, 310,  
     364.  
     gallinago, 326.  
     gallinula, 338.  
     major, 338.  
 Gallinula chloropus, 339.  
     galeata, 364.  
 Gallinule, 172.  
     Florida, 311.  
     Purple, 191.  
 Gardiner, John L., letter of, to  
     Alexander Wilson, 359.  
 Garrulus glandarius, 330.  
 Gault, Benj. T., the Passenger  
     Pigeon in Aitkin Co., Minn.,  
     with a recent record for north-  
     eastern Illinois, 80; the Willow  
     Thrush (*Turdus fuscescens sali-  
     cicolus*) a migrant in northeastern  
     Illinois, 85.  
 Gavia alba, 290.  
 Gecinus viridis, 336.  
 Gelochelidon nitotica, 341.  
 Geococcyx californianus, 55, 138.  
 Geospiza assimilis, 71.  
 Geothlypis agilis, 192.  
     philadelphia, 192.  
     poliocephala ralphii, 165.  
     trichas, 235, 241, 365.  
     trichas occidentalis, 123, 142,  
     218.  
 Gesner, A. H., notice of death of,  
     316.  
 Glaucionetta clangula, 326.  
     clangula americana, 212.  
 Gnat-catcher, Black-tailed, 143.  
     Blue-gray, 185.  
 Goldfinch, American, 153, 182.  
 Goney, 291.  
  
 Good God, 114.  
 Goose, Canada, 77, 129, 353.  
     Emperor, 76.  
 Goshawk, American, 190, 191, 265,  
     313.  
 Grackle, Bronzed, 3, 120, 129, 239,  
     350.  
     Rusty, 87, 129.  
 Grebe, 120.  
 Grosbeak, Black-headed, 141, 153,  
     231.  
     Blue, 159.  
     Cardinal, 159.  
     Evening, 190.  
     Pine, 245.  
     Rose-breasted, 87, 128, 132.  
 Grouse, Canadian Ruffed, 88.  
     Ruffed, 191.  
 Grundtvig, F. L., notice of his  
     'Birds of Shiocton in Bovina,  
     Outagamie Co., Wisc.,' 173.  
 Grus americana, 172.  
     grus, 337.  
     mexicana, 121, 236, 364.  
 Guara alba, 364.  
 Guillemot, Black-throated, 270.  
 Guiraca cœrula, 365.  
 Gull, American Herring, 76, 102,  
     177.  
     Glaucous-winged, 177, 312.  
     Great Black-backed, 312.  
     Heermann's, 177.  
     Ivory, 291.  
     Laughing, 47.  
     Ring-billed, 177.  
     Western, 102, 177.  
 Gyrfalcon, White, 180.  
  
 HABIA ludoviciana, 123, 235, 241.  
     melanocephala, 141, 217.  
 Hæmatopus ostralegus, 325.  
 Haliaëtus albicilla, 326.  
     leucocephalus, 236, 262, 265,  
     266, 364.  
 Hargitt, Edward, notice of death of,  
     315.  
 Harporhynchus cinereus, 52.  
     cinereus mearnsi, 53, 142,  
     165.  
     lecontei, 54, 57, 110.  
     redivivus, 142.  
     rufus, 122, 192, 218, 235, 242,  
     331, 365.  
 Harris, Edward, extract from a  
     letter of, 227.  
 Hawk, American Rough-legged,  
     188, 266.  
     American Sparrow, 266.

- Hawk, Broad-winged, 262, 265, 366, 394.  
Cooper's, 128, 263, 265.  
Desert Sparrow, 138.  
Duck, 86, 138, 191, 266.  
Fish, 359, 361.  
Harris's, 137.  
Kriger's, 11, 16.  
Marsh, 3, 11, 188, 224, 265.  
Pigeon, 265, 266.  
Red-shouldered, 265.  
Red-tailed, 262, 265, 366.  
Rough-legged, 189.  
Sharp-shinned, 88, 262, 263, 265, 394.  
Sparrow, 86, 115, 263, 265.  
Western Rough-leg, 15.
- Heleodytes affinis, 280.  
brunneicapillus affinis, 280.  
brunneicapillus bryanti, 142, 166.
- Helinaia swainsoni, 307.
- Helminthophila bachmani, 365, 367.  
celata, 218, 365.  
celata lutescens, 142.  
chrysoptera, 308.  
leucobronchialis, 171, 307.  
peregrina, 123, 235, 241.  
pinus, 123, 241.  
ruficapilla, 123, 129, 190, 235, 241.  
swainsonii, 365, 367.
- Hen, Prairie, 99.
- Heron, Green, 88, 257.
- Hesperocichla nœvius, 69, 70.
- Himantopus candidus, 339.
- Hirundo cahirica, 337.  
rufula, 337.  
rustica, 337.  
savignyi, 337.
- Hoadley, Frederick H., notice of death of, 199.
- Hoffmann, Ralph, notes on the summer birds of Central Berkshire Co., Mass., 87; notes on the winter birds of Cape Cod, Mass., 188.
- Hornaday, W. T., a demand for English names, 90.
- Howe, Reginald Heber, Jr., the Goldfinch (*Carduelis carduelis*) near Boston, Mass., 182; Ospreys at Bristol, R. I., 300; a large brood of Ospreys, 389.
- Hummingbird, Blue-throated, 357.  
Broad-tailed, 357.  
Costa, 55, 140.  
Rachette, 205.
- Hummingbird, Ruby-throated, 191.  
White-eared, 164, 357.
- Huxley, Thomas H., announcement of death of, 316.
- Hydrochelidon nigra, 341.  
nigra surinamensis, 123.
- Hyetornis fieldi, 278, 279.
- Hypolais caligata, 333.  
icterina, 324.  
olivetorum, 333.  
pallida, 333.  
polyglotta, 332.
- IBIS, Glossy, 393.  
White, 70.
- Icteria virens, 82, 83, 123, 235, 241, 393.  
virens longicauda, 218.
- Icterus bullocki, 216.  
galbula, 123, 235, 241.  
gularis yucatanensis, 169.  
parisorum, 140.  
spurius, 123, 235, 365.  
xanthocephalus, 227.
- Ictinia mississippiensis, 364.
- Ionornis martinica, 191, 364.
- Ivorybill, 114, 115.
- Lynx torquilla, 336.
- JACAMAR, 203.
- Jay, Blue, 120, 383.  
Blue-eared, 165.  
Canada, 159.  
Long-crested, 153.  
Sieber's, 358.
- Jew-bird, 20.
- Johnson, William S., Brännich's Murre in Oneida Co., N. Y., 177; the Great Gray Owl in Oneida Co., N. Y., 301.
- Jenks, J. W. P., notice of death of, 94.
- Jones, Lynds, bird migration at Grinnell, Iowa, I., 117; bird migration at Grinnell, Iowa, II., 231; bird migration at Oberlin, Ohio, for 1894, 237; notice of his paper on the migration of the *Mniotiltidæ*, 286.
- Junco cinereus, 357, 391.  
hyemalis, 89, 121, 192, 217, 235, 242.  
hyemalis shufeldti, 85, 183.  
hyemalis thurberi, 183.  
hyemalis townsendi, 183.  
oregonus, 183.  
phæonotus, 391.  
phæonotus dorsalis, 391.

- Junco phænotus palliatus*, 391.  
*Junco*, Slate-colored, 192.
- KENNARD**, F. H., January occurrence of the 'Sapsucker' in Brookline, Mass., 301; notes on the breeding of the American Crossbill in Hamilton County, N.Y., 304; two unique nesting-sites in and about camp buildings in Hamilton County, N. Y., 314.  
**Keyser**, Leander S., notice of his 'In Bird Land,' 66.  
*Killdeer*, 136, 153.  
*Kingfisher*, Ringed, 164.  
*Kinglet*, Golden-crowned, 89.  
     *Ruby-crowned*, 128, 181.  
*Kite*, Everglade, 364, 366.  
     *White-tailed*, 137.  
**Kirkpatrick**, H. C., absence of the Bluebird at Meadville, Pa., 309.  
*Kittiwake*, Pacific, 177.  
**Knight**, Ora W., breeding of *Somateria dresseri* near Isle au Haut, Maine, 388; the American Crossbill, 390.  
**Kram**, Stephen A., the Turkey Buzzard in Plainfield, New Jersey, 80.
- LAGOPUS lagopus**, 379.  
     *leucurus*, 152.  
*Lanius borealis*, 121, 218, 236, 330.  
     *collaris*, 330.  
     *excubitor*, 330.  
     *isabellinus*, 330.  
     *ludovicianus*, 365.  
     *ludovicianus excubitorides*, 121, 217, 235, 242, 358.  
     *ludovicianus gambeli*, 142.  
     *meridionalis*, 330.  
     *minor*, 330.  
     *rufus*, 330.  
**Lark**, Brown, 152.  
     *Horned*, 120, 187.  
     *Meadow*, 229.  
     *Prairie Horned*, 133, 393.  
     *Shore*, 153.  
     *Sonoran Horned*, 140.
- Larus affinis**, 340.  
     *argentatus*, 325, 379.  
     *argentatus smithsonianus*, 89, 312.  
     *atricilla*, 47.  
     *canus*, 327.  
     *delawarensis*, 72, 73, 177.
- Larus fuscus**, 327.  
     *glaucus*, 76, 312, 327.  
     *ichthyaetus*, 340.  
     *leucopterus*, 76, 327.  
     *marinus*, 312, 327.  
     *minutus*, 327.  
     *philadelphia*, 72, 340.  
     *ridibundus*, 327.  
     *rossii*, 328.  
     *sp. ?*, 212.  
     *vegæ*, 177.
- Lawrence**, George N., notice of death of, 198.
- Leptoptila**, 167.  
     *albifrons*, 167.  
     *brachyptera*, 167.  
     *fulviventris*, 167.  
     *jamaicensis*, 167.
- Leptoptilos**, 167.
- Leptotila**, 167.  
     *fulviventris brachyptera*, 167.
- Leucosticte australis**, 152.  
     *tephrocotis*, 216.  
     *tephrocotis littoralis*, 216.
- Leucosticte**, Brown, 152.
- Limicola pygmaea**, 339.
- Limosa belgica**, 338.  
     *lapponica*, 338.  
     *melanura*, 338.  
     *rufa*, 338.
- Limpkin**, 364, 366.
- Locustella certhiola**, 333.  
     *fluviatilis*, 333.  
     *nævia*, 333.
- Longbill**, 222, 225.
- Longspur**, Smith's, 7.
- Loomis**, Leverett M., notice of his paper on California Water Birds, 378.
- Lophodytes cucullatus**, 212.
- Lowe**, Willoughby P., an addition to the birds of Colorado, 298.
- Loxia bifasciata**, 336.  
     *curvirostra*, 336.  
     *curvirostra minor*, 89, 216, 304.  
     *leucoptera*, 90.  
     *pityopsittacus*, 336.
- Loximitris dominicensis**, 279.
- Lucas**, Frederic A., notice of his paper on the anatomy and affinities of the Cœrebidæ, 71; additional characters of the Macropterygidæ, 155; a new family of birds, 186; the tongues of birds, 186; notice of his paper on 'The Tongues of Woodpeckers,' 380.
- Lusciniola fuscata**, 332.

- MACKAY, George H., the Terns of Muskeget Island, Mass., 32; 'Gull Dick' again, 76; *Branta canadensis*, 77; *Numenius hudsonicus*, 77; the 1894 migration of *Charadrius dominicus* in Massachusetts, 78; Terns of Muskeget Island—a correction, 178; Nantucket notes, 310.
- Macropterygidae, 155, 156.
- Macropteryx coronata, 156.
- Macrorhampus griseus, 313.  
scolopaceus, 313.
- Magpie, American, 153, 395.
- Mallard, 9, 129, 188, 224, 310, 354.
- Mareca penelope, 326.
- Maris, Willard L., a set of unspotted eggs of the Chipping Sparrow, 182.
- Martin, House, 324.  
Purple, 128.  
Western, 141.
- Mead, G. S., the Western Meadowlark at Racine, Wisc., 302.
- Meadowlark, 130, 219, 221, 229, 311, 313.  
Western, 140, 153, 192, 227, 302.
- Mearns, Edgar A., description of a new Heron (*Ardea virescens anthonyi*) from the arid region of the interior of North America, 257.
- Megalestris skua, 341, 379.
- Megascops asio, 88, 214.  
asio cineraceus, 390.  
asio floridanus, 364.  
asio trichopsis, 389, 390.  
brasiliensis, 210.  
giu, 329.
- Melanerpes carolinus, 313, 365, 380.  
erythrocephalus, 86, 88, 123, 215, 235, 242, 262, 365, 380.  
uropygialis, 138.
- Melanocorypha calandra, 334.  
sibirica, 334.  
yeltoniensis, 334.
- Meleagris gallopavo, 364.
- Melizophilus undatus, 332.
- Melopelia leucoptera, 137.
- Melospiza cinerea, 144, 147, 149, 391.  
fasciata, 82, 83, 122, 187, 217, 236, 242, 365.  
fasciata rufina, 148.  
georgiana, 187, 365.  
heermanni, 141.  
insignis, 144, 146, 149, 150.
- Melospiza lincolni, 86, 123, 217.  
melodia, 149, 150.  
melodia h. insignis, 149, 150.  
palustris, 122, 236.
- Merganser americanus, 212.  
serrator, 90, 212, 276, 377, 387.
- Merganser, Hooded, 351.  
Red-breasted, 276, 387.
- Mergellus albellus, 327.
- Mergus merganser, 327.  
serrator, 327.
- Merops apiaster, 336.
- Merriam, C. Hart, the Leconte Thrasher, *Harporhynchus lecontei*, 54; notice of his 'Laws of Temperature Control of the Geographical Distribution of Terrestrial Animals and Plants,' 174; notice of his 'The Geographic Distribution of Animals and Plants in North America,' 384.
- Merula merula, 331.  
migratoria, 121, 236, 242, 303, 331, 366.  
migratoria propinqua, 219.  
torquata, 331.
- Micropalama himantopus, 171, 310, 312.
- Micropodidae, 156.
- Micropus, 187.
- Miller, Gerrit S., Jr., the systematic name of the Mexican Creeper, 185.
- Milvus ater, 329.  
ictinus, 329.
- Mimus polyglottos, 190, 308, 309, 365.
- Minot, H. D., notice of his 'Land-Birds and Game-Birds of New England,' 284.
- Mitchell, Walton, breeding of the Blue-gray Gnatcatcher in Minnesota, 185.
- Mniotilta varia, 123, 235, 241, 365.
- Mockingbird, 84, 190, 308, 309.
- Molothrus ater, 121, 182, 215, 236, 242, 365.
- Monticola cyaneus, 331.  
saxatilis, 331.
- Montifringilla nivalis, 335.
- Morris, George Spencer, notes and extracts from a letter of Edward Harris, 225.
- Morris, Robert O., bird notes from Springfield, Mass., 86.
- Motacilla alba, 324.

- Motacilla citreola*, 334.  
     *flava*, 334.  
     *lugubris*, 334.  
     *melanocephala*, 334.  
     *melanope*, 334.  
     *rayi*, 324.  
 Motmot, 203.  
 Murre, Brünnich's, 177, 290, 311,  
     312, 387.  
 Murrelet, Ancient, 270, 275, 277.  
     Marbled, 276.  
*Muscicapa acadica*, 158.  
     *atricapilla*, 330.  
     *collaris*, 330.  
     *grisola*, 330.  
     *parva*, 330.  
     *querula*, 159.  
     *subviridis*, 159.  
     *traillii*, 159, 160.  
*Myadestes montanus*, 279.  
     *townsendii*, 218.  
*Myiarchus cinerascens*, 140.  
     *crinitus*, 123, 235, 241, 311,  
     365.  
*Myiozetetes texensis*, 357.  
  
 NEWTON, Alfred, notice of his  
     'Dictionary of Birds,' Part III,  
     169.  
 Nighthawk, 120.  
     Texas, 139.  
*Nomonyx dominicus*, 297.  
*Nucifraga*, 167,  
     *caryocatactes*, 168, 330.  
     *columbiana*, 168.  
*Numenius arquata*, 338.  
     *borealis*, 78, 79, 260.  
     *hudsonicus*, 77.  
     *longirostris*, 213.  
     *phæopus*, 338.  
     *tenuirostris*, 338.  
*Nutcracker*, Clark's, 82, 181.  
*Nuthatch*, Pygmy, 358.  
     White-bellied, 120.  
*Nyctala acadica*, 82, 191.  
     *tengmalmi*, 329.  
*Nyctea nyctea*, 214, 330.  
*Nyctibius jamaicensis*, 204.  
*Nycticorax nycticorax nævius*, 364.  
     *violaceus*, 364.  
*Nyroca nyroca*, 340.  
  
 OBERHOLSER, Harry C., *Dendroica*  
     *palmarum* in New Jersey, 185.  
*Oceanites oceanicus*, 311.  
*Oceanodroma furcata*, 273.  
     *leucorhoa*, 272.  
     *socorroensis*, 387.  
  
*Oceanodroma townsendi*, 168.  
*Œdicnemus scolopax*, 338.  
*Oidemia fusca*, 326.  
     *nigra*, 326.  
     *perspicillata*, 188, 295, 340.  
 Old Man, 270, 272.  
 Old Squaw, 188, 292, 293.  
*Olor columbianus*, 72.  
*Oriole*, Baltimore, 128, 350.  
     Bullock's, 153.  
     Orchard, 128, 350.  
     Scott's, 140.  
*Oriolus galbula*, 331.  
*Oroscoptes montanus*, 142, 218.  
*Osprey*, 266, 300, 389.  
*Otis tarda*, 324, 337.  
     *tetrax*, 337.  
*Otocoris alpestris*, 334.  
     *alpestris arenicola*, 215.  
     *alpestris pallida*, 140.  
     *alpestris praticola*, 392.  
 Oven-bird, 117, 128.  
 Owl, Acadian, 82.  
     American Barn, 138, 180, 191,  
     393, 395.  
     American Hawk, 181.  
     American Long-eared, 88.  
     Burrowing, 138.  
     Dusky Burrowing, 372.  
     Great Gray, 181, 301.  
     Great Horned, 88, 313.  
     Hawk, 181.  
     Mexican Barred, 357.  
     Mexican Screech, 389.  
     Pygmy, 203.  
     Saw-whet, 191, 312.  
     Screech, 88.  
     Short-eared, 88.  
     Texan Screech, 389.  
     Western Horned, 138.  
 Oyster-catcher, 70.  
  
*PAGOPHILA eburnea*, 341.  
*Pandion haliaëtus carolinensis*, 266,  
     364, 389.  
     *haliaëtus*, 326.  
*Panurus biarmicus*, 336.  
*Parabuteo unicinctus harrisi*, 137.  
 Parkhurst, H. E., notice of his  
     'The Birds' Calendar,' 67.  
 Paroquet, 188, 367.  
 Partridge, Scaled, 298, 388.  
     Valley, 136.  
*Parus ater*, 336.  
     *atricapillus septentrionalis*,  
     218.  
     *bicolor*, 366.  
     *borealis*, 336.

- Parus carolinensis*, 366.  
*cæruleus*, 336.  
*cristatus*, 336.  
*kamtschatkensis*, 336.  
*major*, 336.  
*meridionalis*, 358.  
*palustris*, 336.  
*Passer domesticus*, 300, 325.  
*montanus*, 336.  
*Passerculus princeps*, 378.  
*Passerella iliaca*, 121, 236, 242, 365.  
*iliaca unalaschensis*, 149.  
*iliaca stephensi*, 348.  
*Passerina amœna*, 217.  
*cyanea*, 123, 235, 241, 365.  
*Pastor roseus*, 331.  
*Pavoncella pugnax*, 339.  
 Peabody, P. B., on the nesting of  
 Krider's Hawk (*Buteo borealis*  
*krideri*) in Minnesota, 11.  
*Pediocætes phasianellus campestris*,  
 213.  
*phasianellus columbianus*,  
 72.  
*Pelecanus erythrorhynchos*, 313.  
*Pelican*, 120, 232.  
 American White, 313.  
*Perdix perdix*, 337.  
*Perisoreus infaustus*, 330.  
*Pernis apivorus*, 329.  
*Petasphora thalassina*, 357.  
*Petrel*, Black-capped, 179.  
 DeFilippi's, 320.  
 Fisher's, 319.  
 Fork-tailed, 273.  
 Leach's, 272, 273.  
 Peale's, 320.  
 Socorro, 387.  
 Wilson's Stormy, 311.  
*Petrochelidon lunifrons*, 83, 122,  
 140, 217, 235, 242.  
*melanogaster*, 375.  
*swainsoni*, 375.  
*Peucæa æstivalis*, 365.  
*æstivalis bachmanii*, 365.  
*Pewee*, 89.  
 Wood, 350.  
*Phaëthornis guyi*, 204, 207, 208.  
*Phainopepla nitens*, 142.  
*Phalacrocorax carbo*, 90, 171, 327.  
*dilophus*, 313.  
*dilophus floridanus*, 364.  
*graculus*, 327.  
*Phalænoptilus nuttalli*, 139.  
*Phalarope*, Red, 77, 313.  
 Northern, 189.  
*Phalaropus lobatus*, 189, 213, 339.  
*tricolor*, 213.  
*Phasianus columbianus*, 72.  
*Philacte canagica*, 76.  
*Philohela minor*, 90, 121, 236, 242,  
 364.  
*Phœbe*, 129, 130.  
 Black, 140.  
 Say's, 140, 153.  
*Phœornis*, 72.  
*Phylloscopus bonellii*, 332.  
*borealis*, 332.  
*coronatus*, 332.  
*nitidus*, 332.  
*proregulus*, 332.  
*rufus*, 332.  
*sibilatrix*, 332.  
*superciliosus*, 332.  
*tristis*, 332.  
*trochilus*, 332.  
*viridanus*, 332.  
*Pica pica*, 330.  
*pica hudsonica*, 215, 395.  
*Picicorvus columbianus*, 82, 168.  
*Pigeon*, Passenger, 80, 298, 299,  
 300, 389.  
 Wild, 80, 298, 299.  
*Pinicola enucleator*, 245, 336.  
*Pipilo arcticus*, 229.  
*erythrophthalmus*, 121, 192,  
 236, 242, 365.  
*erythrophthalmus alleni*, 365.  
*fuscus*, 357.  
*fuscus crissalis*, 109.  
*fuscus senicula*, 110, 141, 165.  
*maculatus arcticus*, 217.  
*orizabæ*, 357.  
*Pipit*, 6, 10.  
*Piranga erythromelas*, 123, 235, 241.  
*rubra*, 306, 365.  
*Pitangus gabbii*, 279.  
*sulphuratus*, 202.  
*Pitta atricapilla*, 65.  
*baudi*, 65.  
*brachyura*, 65.  
*cæruleitorques*, 65.  
*cyanea*, 65.  
*erythrogastra*, 65.  
*granatina*, 65.  
*granatina borneensis*, 65.  
*granatina malaccensis*, 65.  
*mefoorana*, 65.  
*Platalea leucorodia*, 324.  
*Platyrhynchos virescens*, 158.  
*Platyrhynchos pusillus*, 160, 161.  
*Plectrophenax nivalis*, 216, 326.  
*Plegadis autumnalis*, 338, 393.  
*Plover*. American Golden, 78.  
 Bartram's, 129.  
 Golden, 8, 10, 78, 79, 260.

- Plover, Semipalmated, 394.  
 Podilymbus podiceps, 364.  
 Polioptila cærulea, 122, 235, 366.  
     californica, 143.  
 Pooecætes gramineus, 90, 122, 242,  
     365.  
     gramineus confinis, 216.  
 Poor-me-one, 208, 209, 210.  
 Poorwill, Nuttall's, 139.  
 Porter, Louis H., southern capture  
     of *Larus leucopterus*, 76, Con-  
     necticut notes, 86.  
 Porzana albigularis, 28, 29, 30, 31,  
     32.  
     alfari, 28, 30, 32.  
     belloni, 339.  
     carolina, 88, 123, 172, 213,  
     297, 364.  
     cinereiceps, 19, 20, 28, 29, 30,  
     31, 32.  
     exilis vagrans, 20, 22.  
     leucogastra, 30, 32.  
     marueta, 339.  
     melanophaia, 28, 29.  
     noveboracensis, 87, 311.  
     parva, 339.  
     pusilla, 339.  
     pygmæa, 339.  
 Praeger, Wm. E., two records from  
     Keokuk, Iowa, 85.  
 Pratincola rubetra, 333.  
     rubicola, 333.  
 Price, William W., the nest and  
     eggs of the Olive Warbler (*Den-  
     droica olivacea*), 17.  
 Procellaria grallaria, 322.  
     gularis, 320.  
     mollis, 320.  
     pelagica, 70, 171, 327.  
 Procnias, 186, 187.  
 Proctor, Thomas, Skylarks nesting  
     on Long Island, 390.  
 Progne purpurea, 375.  
     subis, 83, 122, 235, 242, 365,  
     375.  
     subis hesperia, 141.  
 Protonotaria citrea, 84, 306, 365,  
     395.  
 Psaltriparus minimus californicus,  
     143.  
 Pseudogryphus californianus, 81,  
     137.  
 Ptarmigan, White-tailed, 152.  
 Publications received, 74, 176, 288,  
     385.  
 Puffinus anglorum, 70, 341.  
     creatopus, 100.  
     fuliginosus, 341.  
 Puffinus gavia, 100.  
     griseus, 100, 105, 341.  
     major, 341.  
     puffinus, 69, 70.  
 Purdy, James B., a relative of Alex-  
     ander Wilson, 396.  
 Pycnonotus xanthopygus, 331.  
 Pygmornis longuemareus, 207, 208.  
 Pyrocephalus dubius, 71.  
     minimus, 71.  
 Pyrrhocorax alpinus, 330.  
     graculus, 330.  
 Pyrrhula europæa, 336.  
     pyrrhula, 336.  
 QUERQUEDULA crecca, 340.  
     circia, 340.  
 Qu'est-ce-qu'il-dit, 202, 203.  
 Quiscalus quiscula æneus, 121, 216,  
     223, 236, 242.  
     quiscula aglæus, 365.  
 RAGSDALE, Geo. H., notice of  
     death of, 316.  
 Rail, Carolina, 88.  
     Virginia, 26, 88, 188.  
     Yellow, 87.  
 Rallus aquaticus, 339.  
     elegans, 364.  
     longirostris, 172.  
     virginianus, 26, 88, 188, 213.  
 Ramphocelus passerinii, 25.  
 Raven, 81, 152.  
     American, 140.  
     Mexican, 358.  
     White-necked, 152.  
 Razorbill, 324.  
 Recurvirostra americana, 213.  
     avocetta, 339.  
 Red-belly, 114.  
 Redbird, 114.  
     Summer, 306.  
 Red-poll, Greater, 70.  
 Red-rump, 25.  
 Red-shoulder, 115.  
 Redstart, 129, 350.  
 Red-tail, 221.  
     Western, 138.  
 Red-wing, 11, 221.  
 Regulus calendula, 122, 181, 218,  
     236, 242, 366.  
     cristata, 333.  
     ignicapillus, 333.  
     satrapa, 89, 122, 236, 242, 366.  
     satrapa aztecus, 359.  
 Reichenow, Anton, notice of his  
     'Die Vögel Deutsch-Ost-Afrikas,'  
     73.

- Rhoads, Samuel N., unseasonable nesting of the Ground Dove in Florida, 79; the Winter Wren a night singer, 84; notice of his 'Reprint of Ord's North American Zoölogy, 72.
- Rhodostethia rosea, 341.
- Rhynchophanes mcowanii, 216.
- Richmond, Charles W., a contribution to the life history of *Porzana cinereiceps* Lawrence, with critical notes on some of its allies, 19; on the status of Bischoff's Song Sparrow (*Melospiza insignis* Baird), 144; *Helminthophila leucobronchialis* in Maryland, 307; descriptions of three new birds from the island of Margarita, Venezuela, 367.
- Ridgway, R., notice of his descriptions of new birds from the Galapagos, 70; notice of his descriptions of new birds from Aldabra, Assumption, and Gloriosa Islands, 71; on Fisher's Petrel (*Æstrelata fisheri*), 319; notice of his 'Ornithology of Illinois,' Vol. II, 379; on the correct subspecific names of the Texan and Mexican Screech Owls, 389; *Funco phæonotus* Wagler, not *F. cinereus* (Swainson), 391.
- Rissa tridactyla, 327.  
tridactyla pollicaris, 177.
- Road-runner, 55, 138.
- Robin, 1, 3, 5, 87, 120, 129, 188, 219, 221, 239, 244, 303, 304.
- Rostrhamus sociabilis, 364, 366.
- Ruticilla mesoleuca, 332.  
moussieri, 332.  
phænicurus, 332.  
tithys, 332.
- SAGE, John H., a Swallow roost near Portland, Conn., 83; a photograph of Audubon, 93; the Golden Eagle in New Jersey, 179; a Sora caught by a Mussel, 297; nesting of *Helminthophila leucobronchialis* in Connecticut, 307; notes on some Connecticut birds, 310; a historic letter, 359.
- Salpinctes obsoletus, 143, 218.
- Sandpiper, Baird's, 87, 179.  
Bartramian, 310.  
Least, 374.  
Pectoral, 3, 9, 393.
- Sandpiper, Semipalmated, 179, 394.  
Solitary, 88, 312.  
Spotted, 312.  
Stilt, 310, 313.
- Sapsucker, 186, 301.
- Savage, James, some rare birds of recent occurrence near Buffalo, N. Y., 312; notes from Western New York, 393.
- Saxicola albicollis, 333.  
capistrata, 333.  
deserti, 333.  
leucura, 333.  
œnanthe, 324.  
stapazina, 333.
- Sayornis phæbe, 89, 121, 236, 242, 365.  
nigrescens, 140.  
saya, 140, 215.
- Schwarz, E. A., see Barrows, W.B.
- Scolecophagus carolinus, 121, 236, 242, 263.  
cyanocephalus, 140, 216.
- Scolopax rusticola, 338.
- Scops enano, 389.  
mccalli, 389.  
trichopsis, 389.
- Scoter, Surf, 138, 295.
- Scotiaptex cinerea, 171, 181, 301.
- Scott, W. E. D., notice of his mounted collection of birds at the Agassiz Museum, 318.
- Seedeater, 20.
- Seiurus aurocapillus, 123, 218, 235, 241, 365.  
motacilla, 115, 123, 242.  
noveboracensis, 70, 115, 365.  
noveboracensis notabilis, 218.
- Selasphorus platycercus, 357.
- Serinus pusilla, 335.  
serinus, 335.
- Setophaga ruticilla, 123, 218, 235, 241, 365.
- Sharpe, R. Bowdler, and Claude W. Wyatt, notice of their 'Monograph of the Hirundinidæ, or Family of Swallows,' 373.
- Shearwater, 100, 105.
- Shorthill, 225.
- Shoveller, 10.
- Shrike, California, 142.  
White-rumped, 120, 128, 358.
- Shufeldt, R. W., notice of his paper on the osteology of Cranes, Rails, etc., 172.
- Sialia arctica, 219.  
mexicana, 168, 359.



- Sialia mexicana anabelæ*, 166.  
*mexicana bairdi*, 166.  
*mexicana occidentalis*, 166.  
*occidentalis*, 166.  
*sialis*, 121, 236, 242, 309, 366.
- Simorhynchus cristatellus*, 271,  
 276.  
*pusillus*, 276.
- Sitta canadensis*, 90.  
*carolinensis aculeata*, 218.  
*carolinensis atkinsi*, 366.  
*carolinensis mexicana*, 358.  
*pusilla*, 366.  
*pygmæa*, 358.
- Skylark, 390.
- Smith, Hugh M., mortality among  
 White-bellied Swallows in Flor-  
 ida, 183.
- Snipe*, 3, 9, 10, 222, 299, 303, 304.  
 Jack, 303.  
 Wilson's, 310.
- Snowbird*, 89.  
 Mexican, 357.
- Soldier-bird*, 25.
- Somateria dresseri*, 310, 388.  
*mollissima*, 327.  
*spectabilis*, 86, 340.
- Sora*, 297.
- Sparrow*. Aleutian Song, 145.  
 Bachman's, 159.  
 Baird's, 219, 222.  
 Bell's, 141.  
 Bischoff's Song, 144, 145.  
 Black-throated, 55, 141.  
 Chipping, 128, 182, 237, 305.  
 English, 300.  
 Field, 128, 188.  
 Fox, 129.  
 Grass, 129.  
 Grasshopper, 313.  
 Harris's, 76, 129, 182, 226,  
 237, 305, 395.  
 Heermann's Song, 141.  
 Henslow's, 133, 189, 391.  
 House, 250.  
 Intermediate, 141.  
 Ipswich, 377.  
 Leconte's, 3, 10, 219, 224.  
 Lincoln's, 222.  
 Savanna, 10, 188, 222, 224.  
 Song, 3, 82, 87, 129, 222,  
 239, 244.  
 Stephens's, 348.  
 Swamp, 3, 10, 129, 222, 224.  
 Tree, 11.  
 Western Savanna, 140.  
 White-throated, 87, 88, 306.  
 Yellow-winged, 391.
- Spatula clypeata*, 10, 212, 340.
- Spalding, F. B., the Cowbird win-  
 tering in New Hampshire, 182.
- Speotyto cunicularia hypogæa*, 138,  
 214.  
*cunicularia obscura*, 372.
- Sphyrapicus varius*, 70, 301, 365,  
 380.
- Spindalis multicolor*, 279.
- Spinus citrinella*, 335.  
*pinus*, 70, 122, 236, 241.  
*pinus*, 335.  
*tristis*, 216, 365.
- Spiza americana*, 235.
- Spizella breweri*, 217.  
*monticola*, 121, 236, 242.  
*monticola ochracea*, 217.  
*pallida*, 217.  
*pusilla*, 122, 199, 236, 242,  
 365.  
*socialis*, 122, 182, 236, 242,  
 305, 365.  
*socialis arizonæ*, 217.
- Sporophila corvina*, 20.
- Standard Dictionary, notice of  
 ornithology in, 375.
- Starling*, 324.
- Starik*, 270.
- Stelgidopteryx serripennis*, 86, 184,  
 365, 374, 392.
- Stephens, F., notes on the Cali-  
 fornia Vulture, 81; a demand  
 for English names, 194; descrip-  
 tions of two new subspecies of  
 California birds, 371.
- Sterna antillarum*, 34.  
*cantiaca*, 341.  
*caspia*, 341.  
*dougalli*, 34, 35, 341, 377.  
*fuliginosa*, 86.  
*hirundo*, 34, 35, 178, 341, 377.  
*macroura*, 70, 341.  
*maxima*, 379.  
*minuta*, 341.  
*paradisæa*, 34, 70, 178, 341,  
 377.  
*philadelphia*, 72, 73.  
*trudeaui*, 70.  
*tschegrava*, 313, 341.
- Stercorarius buffoni*, 341.  
*longicaudus*, 341, 379.  
*parasiticus*, 341.  
*pomarinus*, 341, 379.
- Stilt*, Black-necked, 70.
- Stone, Witmer, notice of his 'Birds  
 of Eastern Pennsylvania and New  
 Jersey,' 170.
- Strepsilas interpres*, 297.

- Strix pratincola*, 138, 180, 191, 364,  
393, 395.  
    *flammea*, 239.  
*Sturnella magna*, 121, 236, 242, 302,  
313, 365.  
    *magna neglecta*, 140, 192,  
215, 302.  
*Sturnus vulgaris*, 324.  
*Sula bassana*, 327.  
*Surnia ulula*, 330.  
    *ulula caparoch*, 187.  
 Swallow, Bank, 50, 83.  
    Barn, 50, 83, 375.  
    Cliff, 83, 141, 375.  
    Eave, 153.  
    Rough-winged, 86, 184, 375,  
392.  
    Tree, 83, 184.  
    Violet-green, 17, 87, 142, 374.  
    White-bellied, 183, 187, 375.  
 Swan, 310.  
 Swift, Black, 139.  
    Chimney, 314.  
    Tree, 153, 156.  
    White-throated, 139.  
*Sylvia atricapilla*, 332.  
    *cinerea*, 332.  
    *curruca*, 332.  
    *hortensis*, 332.  
    *melanocephala*, 332.  
    *nisoria*, 332.  
    *orphea*, 332.  
*Sylvania canadensis*, 70, 90, 189.  
    *mitrata*, 190, 191, 365.  
    *pusilla*, 123, 142, 218, 235.  
*Symphemia semipalmata inornata*,  
213.  
*Synallaxis pudica*, 20.  
*Synthliboramphus antiquus*, 270.  
*Syrnium aluco*, 329.  
    *nebulosum alleni*, 364.  
    *nebulosum sartorii*, 357.  
*Syrnhaptes paradoxus*, 337.  
 TACHYGINETA *albilinea*, 87.  
    *bicolor*, 83, 122, 184, 217,  
235, 365, 374.  
    *thalassina*, 87, 142, 374.  
*Tadorna cornuta*, 326.  
 Tanager, Scarlet, 132.  
    Summer, 115, 351.  
*Tanagra*, 203.  
*Tantalus loculator*, 364.  
 Taylor, H. H., Baird's Sandpiper  
    on Long Island Sound, N. Y.,  
179.  
 Teal, Blue-winged, 10, 354.  
    Cinnamon, 136.  
 Teal, Green-winged, 354.  
*Temnotrogon roseigaster*, 279.  
 Tern, Arctic, 34, 43.  
    Black, 128.  
    Caspian, 313.  
    Least, 34.  
    Roseate, 34, 35, 38.  
    Sooty, 70, 86.  
    Wilson's, 34, 35, 36, 38.  
*Thalassidroma melania*, 168.  
 Thorne, Capt. Platte M., list of  
    birds observed in the vicinity of  
    Fort Keogh, Montana, from July  
    1888, to September, 1892, 211.  
 Thrasher, Brown, 192.  
    Californian, 142.  
    Leconte's, 54, 59.  
    Mearns's, 53, 142, 165.  
    Sage, 142.  
 Thrush, Bicknell's, 392.  
    Gray-cheeked, 90.  
    Hermit, 240.  
    Olive-backed, 87.  
    Swainson's, 159.  
    Water, 117.  
    Willow, 85.  
    Wood, 128, 351.  
*Thryothorus bewickii*, 367, 385.  
    *bewickii spilurus*, 143.  
    *leucophrys*, 52, 166.  
    *ludovicianus*, 218, 314, 385.  
 Tinamous, 203.  
 Titlark, 6.  
 Titmouse, Carolina, 159.  
    Tufted, 159.  
*Totanus calidris*, 338.  
    *canescens*, 338.  
    *flavipes*, 9, 213, 313.  
    *fuscus*, 338.  
    *glareola*, 339.  
    *glottis*, 338.  
    *littorea*, 168.  
    *melanoleucus*, 90, 213.  
    *nebularius*, 168.  
    *ochropus*, 338.  
    *solitarius*, 88, 89, 213, 312,  
364.  
    *stagnatilis*, 338.  
*Todirostrum cinereum*, 20.  
 Toucan, 203, 204.  
 Towhee, Anthony's, 165.  
    Brown, 357.  
    Lower Californian, 141.  
    Orizaba, 357.  
 Treat, Willard E., Brünnich's  
    Murre (*Uria lomvia*) in  
    Connecticut, 177.  
*Tringa alpina*, 70, 339.

- Tringa bairdi*, 87, 179, 213.  
*canutus*, 339.  
*maculata*, 9, 10, 235.  
*maritima*, 326.  
*minuta*, 339.  
*minutilla*, 123, 213, 377, 394.  
*schinzi*, 339.  
*subarquata*, 339.  
*temmincki*, 339.
- Trochilus colubris*, 89, 123, 191, 235, 241, 365.  
*leucotis*, 164.
- Troglodytes ædon*, 122, 235, 242, 365.  
*ædon aztecus*, 218.  
*brunneicollis*, 358.  
*hiemalis*, 89, 122, 365.  
*parvulus*, 326.
- Trogon*, 203.
- Trowbridge, C. C., Hawk flights in Connecticut, 259.
- Trupial*, Yellow-headed, 227.
- Tryngites subruficollis*, 339.
- Turdus alicia*, 99, 218.  
*alicia bicknelli*, 90, 392.  
*aonalaschkæ pallasi*, 242, 366.  
*atrigrularis*, 331.  
*dauma*, 331.  
*fuscatus*, 331.  
*fuscescens*, 123, 241, 331.  
*fuscescens salicicolus*, 85.  
*iliacus*, 331.  
*musicus*, 331.  
*mustelinus*, 123, 235, 241, 366.  
*nævius*, 69.  
*obscurus*, 331.  
*pallasi*, 331.  
*pilaris*, 331.  
*ruficollis*, 331.  
*swainsoni*, 331.  
*ustulatus swainsoni*, 123, 219, 241.  
*varius*, 331.  
*viscivorus*, 331.
- Turnstone*, 297.
- Turtur risorius*, 337.  
*turtur*, 337.
- Tuttle, Carl, some uncommon and rare birds of Erie Co., Ohio, 190.
- Tympanuchus americanus*, 69, 99, 236.  
*cupido*, 171.
- Tyrannula pusilla*, 160.  
*querula*, 160.
- Tyrannus tyrannus*, 123, 215, 235, 241, 365.  
*verticalis*, 215.
- UPUPA epops, 337.
- Uria lomvia*, 177, 280, 310, 311, 312, 341, 387.  
*ringvia*, 324, 325.  
*troile*, 324, 325.
- Urinator arcticus*, 327, 379.  
*imber*, 364.  
*immer*, 327.  
*lumme*, 327.
- VANELLUS vanellus, 338.
- Verdin*, 143.
- Verrill, G. E., notice of his paper on birds and eggs from Gough, Kerguelen, and South Georgia Islands, 288.
- Viecito*, 111.
- Vireo bellii*, 123, 235.  
*flavifrons*, 89, 235, 241, 365.  
*flaviventris*, 123.  
*gilvus*, 123, 142, 217, 235, 241.  
*huttoni insularis*, 168.  
*huttoni obscurus*, 165, 168.  
*noveboracensis*, 365.  
*olivaceus*, 123, 217, 235, 241, 365.  
*philadelphicus*, 84, 311.  
*pusillus*, 142.  
*solitarius*, 365.
- Vireo*, Bell's, 129.  
*Dusky*, 165.  
*Least*, 142.  
*Philadelphia*, 84, 116.  
*Red-eyed*, 128.  
*Warbling*, 129, 142, 351.  
*White-eyed*, 117.  
*Yellow-throated*, 89, 129, 350.
- Vulture*, California, 81.  
*Black*, 202, 353, 356.  
*Turkey*, 81, 137, 394.
- WARBLER, Audubon's, 17, 142.  
*Bachman's*, 367.  
*Bay-breasted*, 240.  
*Black-and-Yellow*, 190.  
*Blackburnian*, 89, 190, 240.

- Warbler, Black-poll, 240.  
 Black-throated Green, 184, 240.  
 Blue-winged Yellow, 117.  
 Brewster's, 308.  
 Canada Flycatching, 115.  
 Canadian, 189.  
 Cerulean, 117, 350.  
 Chestnut-sided, 128, 240.  
 Connecticut, 192.  
 Hermit, 142.  
 Hooded, 117, 190, 191.  
 Kentucky, 115, 117.  
 Lutescent, 142.  
 Magnolia, 89.  
 Mourning, 192.  
 Myrtle, 89, 237.  
 Nashville, 129, 190.  
 Olive, 17, 18, 358.  
 Palm, 128.  
 Parula, 117, 190, 350.  
 Pine, 89, 190.  
 Prothonotary, 84, 117, 306, 395.  
 Red, 358.  
 Summer, 20.  
 Swainson's, 112, 116, 117, 307, 353, 367.  
 Sycamore, 350.  
 Tennessee, 129.  
 Townsend's, 142.  
 Wilson's, 132, 142.  
 Yellow, 128, 232.
- Warren, Oscar B., notes from the Upper Peninsula of Michigan, 191.  
 Watkins, L. Whitney, Cory's Least Bittern in Michigan, 77.  
 Wayne, Arthur T., the Rough-winged Swallow (*Stelgidopteryx serripennis*) and Tree Swallows (*Tachycineta bicolor*) wintering in South Carolina, 184; the Old Squaw (*Clangula hyemalis*) on the coast of South Carolina, 293; the Lark Bunting in South Carolina, 306; notes on the birds of the Wacissa and Aucilla River regions of Florida, 362.
- Waxwing, 250.  
 Whip-poor-will, 120.  
 Widgeon, 179.  
 European, 292.
- Widmann, O., a winter Robin roost in Missouri, and other ornithological notes, 1; Swainson's Warbler an inhabitant of the swampy woods of southeastern Missouri, 112; an hour with Baird's and Leconte's Sparrows near St. Louis, Missouri, 219; the Brown Creeper nesting in the cypress swamp of southeastern Missouri, 350.
- Wilson, Alexander, a relative of, 396.  
 Woodcock, European, 171.  
 Woodworth, Nelly Hart, bird notes from St. Albans, Vermont, 311.  
 Woodpecker, Downy, 87, 115, 301, 357, 380.  
 Gila, 138.  
 Golden-winged, 380.  
 Hairy, 380.  
 Harris's, 226.  
 Ivory-billed, 366.  
 Lewis's, 153.  
 Pileated, 114, 311, 351, 380.  
 Red bellied, 313, 380.  
 Red-headed, 86, 88, 262, 380.  
 Red-shafted, 229.  
 Saint Lucas, 138.  
 Three-toed, 159.  
 Yellow-bellied, 380.
- Wren, Bewick's, 367.  
 Bryant's Cactus, 142, 166.  
 Cactus, 55, 280.  
 Cañon, 152.  
 Carolina, 159, 314.  
 Dotted Cañon, 143.  
 Marsh, 3, 224.  
 Rock, 143, 153.  
 Short-billed Marsh, 89.  
 San Clemente, 166.  
 St. Lucas Cactus, 280.  
 Tawny-throated, 358.  
 Vigors's, 51, 143.  
 Winter, 84, 89, 159.
- Wright, Mrs. Mabel Osgood, notice of her 'Birdcraft, a Field Book,' etc., 281.
- Wyatt, Claude W., see Sharpe, R.B.
- XANTHOCEPHALUS xanthocephalus, 191, 215.  
 Xema sabinei, 340.
- YELLOW-LEGS, 9, 10, 313.  
 Yellow-throat, Maryland, 117, 302, 351.  
 Rio Grande, 165.  
 Western, 142.
- Young, Curtis C., Chats reared by Song Sparrows, 82.

ZENAIDA macroura, 214.	Zonotrichia leucophrys, 123, 217, 241.
Zenaidura macroura, 121, 137, 236, 242, 364.	leucophrys intermedia, 141, 217.
Zonotrichia albicollis, 88, 122, 236, 242.	querula, 76, 182, 217, 236, 395.
cinerea, 150.	Zosterops aldabrensis, 71.
harrisi, 205.	madagascariensis gloriosæ, 71.
insignis, 149.	

---

 ERRATA.

- Page 35 line 17, for **May** 19, read **June** 19.
- “ 53 “ 1 “ **MEARN'S** read **MEARNS'S**.
- “ 82 “ 10 “ **Eastern** read **Western**.
- “ 89 “ 18 and 19, for **FRANCIS H. ALLEN**, *West Roxbury, Mass.*, read **RALPH HOFFMANN**, *Belmont, Mass.*
- Page 203 line 21 for larger read large.
- “ 214 “ 12 “ **Zenaida** read **Zenaidura**.
- “ 291 “ 7 and 22, for **furcata** read **furcatus**.
- “ 307 “ 19 for **boggy** read **bogie**.
- “ 308 “ 2 “ **swinging** read **singing**.
- “ 358 “ 8 from bottom, for **pigmæa** read **pygmæa**.